

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



OFELIA S/11

FOFSB11-BLU-TRASPARENTE -
BLUE-TRANSPARENT

TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura blu trasparente.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Clear blue finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition bleu transparent.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes blaues Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura cromo specchiato.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Mirrored chrome finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition chrome miroir.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Verspiegeltes Chrom-Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



OFELIA S/11


FOFSA11 - FUME-TRASPARENTE

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura fumè trasparente.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Clear smoky amber finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition ambre fumé transparent.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes, rauchbraunes Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura oro specchiato.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Mirrored gold finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition dorée miroir.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Verspiegeltes Gold-Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



FOFSR11-RAME-SPECCHIATO - MIRROR COPPER

TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura rame specchiato.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Mirrored copper finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition cuivre miroité.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Verspiegeltes Kupfer-Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



OFELIA S/11

FOFST11-TRASPARENTE - TRANSPARENT

TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura trasparente.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Clear finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition transparente.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



OFELIA S/11

FOFSV11 - VERDE-TRASP

TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura verde trasparente.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Clear green finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition vert transparent.

Borosilikatglas mit weißer E27- Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes grünes Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be

Ophelia S/11

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



TRANSPARENT AMBER

TECHNICAL DATA

Installation: Interno _ Lampada a sospensione

IP Rating: IP20

Insulation Class: I

Gross Weight: 1.50 Kg


Net Weight: 0.86 Kg

Vetro borosilicato con incluso portalampane E27 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura ambra trasparente.

Borosilicate glass with white E27 lamp-holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Bulb not included. Clear amber finish.

Verre borosilicate avec douille E27 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition ambre transparent.

Borosilikatglas mit weißer E27-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes, rauchbraunes Finish.



Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

www.formaluna.be