


# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## OFELIA S/11 MINI

FOFSB11M - BLU-TRASPARENTE -  
BLUE-TRANSPARENT

### TECHNICAL DATA

Installation: Interno \_ Lampada a sospensione

IP Rating: IP20

Gross Weight: 0.82 Kg


Net Weight: 0.49 Kg

*Vetro borosilicato con incluso portalampane G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura blu trasparente.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish clear blue*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition bleu transparent.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes blaues Finish.*



### Disclaimer


Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## TECHNICAL DATA

Installation: Interno \_ Lampada a sospensione

IP Rating: IP20

Gross Weight: 0.82 Kg


Net Weight: 0.49 Kg

*Vetro borosilicato con incluso portalampade G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura cromo specchiato.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish mirrored chrome*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition chrome miroir.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Verspiegeltes Chrom-Finish.*



## Disclaimer


Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## OFELIA S/11 MINI


FOFSA11M - FUME-TRASPARENTE

*Vetro borosilicato con incluso portalampade G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura fumè trasparente.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish clear amber*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition ambre fumé transparent.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes, rauchbraunes Finish.*



### Disclaimer


Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## TECHNICAL DATA

Installation: Interno \_ Lampada a sospensione

IP Rating: IP20

Gross Weight: 0.82 Kg


Net Weight: 0.49 Kg

*Vetro borosilicato con incluso portalampane G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura rame specchiato.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish mirrored copper*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition cuivre miroité.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Verspiegeltes Kupfer-Finish.*



## Disclaimer


Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## OFELIA S/11 MINI

FOFSR11M - RAME-SPECCHIATO - MIRROR  
COPPER

### TECHNICAL DATA

Installation: Interno \_ Lampada a sospensione

IP Rating: IP20

Gross Weight: 0.82 Kg


Net Weight: 0.49 Kg

*Vetro borosilicato con incluso portalampane G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura rame specchiato.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish mirrored copper*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition cuivre miroité.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Verspiegeltes Kupfer-Finish.*



### Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## OFELIA S/11 MINI

FOFST11M - TRASPARENTE - TRANSPARENT

### TECHNICAL DATA

Installation: Interno \_ Lampada a sospensione

IP Rating: IP20

Gross Weight: 0.82 Kg


Net Weight: 0.49 Kg

*Vetro borosilicato con incluso portalampane G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura trasparente.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish clear*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition transparente.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes Finish.*



### Disclaimer


Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.



## FOFSV11M - VERDE-TRASP

### TECHNICAL DATA

Installation: Interno \_ Lampada a sospensione

IP Rating: IP20

Gross Weight: 0.82 Kg


Net Weight: 0.49 Kg

*Vetro borosilicato con incluso portalampade G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura verde trasparente.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish clear green*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition vert transparent.*

*Borosilikatglas mit weißer G9- Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes grünes Finish.*



### Disclaimer


Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)

# Ophelia S/11 mini

An indoor decorative suspension luminaire crafted with a flared blown borosilicate glass diffuser and a white G9 lampholder assembly. Operating directly on 220-240V mains power without an external driver, the Class I, IP20-rated fitting accommodates a replaceable G9 bulb (max 28W), allowing full customization of lumen package, color temperature, and dimming behavior. Suspended by an adjustable transparent cable up to 3 meters, it is designed for single-point accents or modular multilight cluster arrangements.




*Vetro borosilicato con incluso portalampane G9 bianco e cavo in PVC trasparente lunghezza 3 metri. Non incluso di rosone. Lampadina non inclusa. Finitura ambra trasparente.*

*Glass with white G9 lamp holder and transparent 3-metre-long PVC cable included. Ceiling rose not included. Finish clear amber*

*Verre borosilicate avec douille G9 blanche et câble PVC transparent de 3 mètres. Rosette non comprise. Ampoule non incluse. Finition ambre transparent.*

*Borosilikatglas mit weißer G9-Lampenfassung und transparentem PVC-Kabel, Länge 3 m. Ohne Rosette. Glühbirne nicht enthalten. Transparentes, rauchbraunes Finish.*



## Disclaimer

Alle technische gegevens, evenals gewichts- en afmetingsspecificaties, zijn gebaseerd op standaardwaarden. Wij behouden ons het recht om technische wijzigingen aan te brengen. Productafbeeldingen dienen ter illustratie en kunnen afwijken van het origineel.

FL

[www.formaluna.be](http://www.formaluna.be)